Author index

Abidi, T.F., Faaland, C.A., Scala, D.D., Rhein, L.D. and Laskin, J.D.
Ethoxylated alcohol (Neodol-12) and other surfactants in the assay of protein kinase C (992) 362
Addey, C.V.P., see Wilde, C.J. (992) 315
Agius, L., see Tosh, D. (992) 245
Airas, R.K.
Branched-chain-amino-acid aminotransferase assay using radioisotopes (992) 397
Akhrem, A.A., Andreyuk, G.M., Kisel, M.A. and Kiselev, P.A.
Hemoglobin conversion to hemichrome under the influence of fatty acids (992) 191
Akiba, S., see Sato, T. (992) 168
Akiyama, S.-i., see Yoshimura, A. (992) 307
Alberti, K.G.M.M., see Tosh, D. (992) 245
Ali, N. and Salahuddin, A.
Isolation and characterization of soluble β-galactoside-binding lectins from mammalian liver (992) 30
Andreyuk, G.M., see Akhrem, A.A. (992) 191
Ariga, H., see Urashima, T. (992) 375
Arlow, F.L., see Majumdar, A.P.N. (992) 35
Aw, T.Y., see Lincoln, B.C. (992) 49

Baker, G.M. and Chen, C.-H.
The effects of ethanol on the structural stability of acetylcholine receptor and the activity of various molecular forms of acetylcholinesterase (992) 333
Banerjee, R.K.
EDTA inhibits peroxidase-catalyzed iodide oxidation through interaction at the iodide binding site (992) 393
Barker, E.D., see Kellett, G.L. (992) 128
Barrett, J.
A simple matrix method for determining flux control coefficients in complex pathways (992) 369
Barrett, J., see Precious, W.Y. (992) 215
Bates, G.W., see Xian-Xuan, C. (992) 160
Bayliss, M.T., see Urban, J.P.G. (992) 59
Beguin, S., see Hemker, H.C. (992) 409
Bieber, L.L., see Cress, A.P. (992) 135
Blaas, D., see Hofer, F. (992) 298
Blake, D.A., see Goudsmit, E.M. (992) 289
Blouquit, M.-F., see Savu, L. (992) 379
Bonkovsky, H.L., see Lincoln, B.C. (992) 49
Botti, B., Ceccarelli, D., Tomasi, A., Vannini, V., Muscatello, U. and Masini, A.
Biochemical mechanism of GSH depletion induced by 1,2-dibromoethane in isolated rat liver mitochondria. Evidence of a GSH conjugation process (992) 327
Brasitus, T.A., see Halline, A.G. (992) 106
Breedveld, G.J., see Van Urk, H. (992) 78

Caughey, G.H., see Pison, U. (992) 251
Ceccarelli, D., see Botti, B. (992) 327
Charette, L., see Patrignani, P. (992) 71
Chen, C.-H., see Baker, G.M. (992) 333
Chen, K. and Swartz, H.M.
The products of the reduction of doxyl stearates in cells are hydroxylamines as shown by oxidation by ^{15}N-perdeuterated Tempone (992) 131
Choay, J., see Hemker, H.C. (992) 409
Chuang, L.F., Zhao, F.-K. and Chuang, R.Y.
Isolation and purification of protein kinase C from human leukemia ML-1 cells: phosphorylation of human leukemia RNA polymerase II in vitro (992) 87
Chuang, R.Y., see Chuang, L.F. (992) 87
Ciabattoni, G., Pugliese, F., Davi, G., Pierucci, A., Simonetti, B.M. and Patrono, C.
Fractional conversion of thromboxane B_2 to urinary 11-dehydrothromboxane B_2 in man (992) 66
Cirino, M., see Patrignani, P. (992) 71
Cottam, G.L., see Matsunaga, A. (992) 265
Cramer, M., see Stochaj, U. (992) 385
Cress, A.P., Fraker, P.J. and Bieber, L.L.
Carnitine and acylcarnitine levels of human peripheral blood lymphocytes and mononuclear phagocytes (992) 135

Davi, G., see Ciabattoni, G. (992) 66
Dean, R.T. and Schnebli, H.P.
Control of exogenous proteinases and their inhibitors at the macrophage cell surface (992) 174
Dieckhoff, J., see Stochaj, U. (992) 385
Dolors Balsa, M., Gómez, N. and Unzeta, M.
Characterization of monoamine oxidase activity present in human granulocytes and lymphocytes (992) 140
Dudeja, P.K., see Halline, A.G. (992) 106

Egner, U., Müller-Fahrnow, A., Herbst, R. and Saenger, W.
Crystal structure of a zwitterionic detergent: *n*-octyl-2-hydroxyethylsulfoxide (992) 404
Eiteman, M.A. and Gainer, J.L.
The effect of free-volume changes on partitioning in magnesium sulfate-poly(ethylene glycol) aqueous two-phase systems (992) 125

Faaland, C.A., see Abidi, T.F. (992) 362
Fas, N., see Xian-Xuan, C. (992) 160
Feix, J.B. and Kalyanaraman, B.
Spin trapping of lipid-derived radicals in liposomes (992) 230
Filliat, M., see Houdret, N. (992) 96
Fraker, P.J., see Cress, A.P. (992) 135
Freedman, J.H. and Peisach, J.
Resistance of cultured hepatoma cells to copper toxicity. Purification and characterization of the hepatoma metallothionein (992) 145
Friedrich, T.D. and Ingram, V.M.
Identification of a novel casein kinase activity in HeLa cell nuclei (992) 41
Fruchart, J.-C., see Saïle, R. (992) 407
Fujii, T., see Sato, T. (992) 168

Gainer, J.L., see Eiteman, M.A. (992) 125
Gillard, J., see Patrignani, P. (992) 71
Gómez, N., see Dolors Balsa, M. (992) 140
Goudsmit, E.M., Ketchum, P.A., Grossens, M.K. and Blake, D.A.
Biosynthesis of galactogen: identification of a β-(1 → 6)-D-galactosyltransferase in *Helix pomatia* albumen glands (992) 289
Gräsbeck, R., see Guéant, J.L. (992) 281
Gripois, D., see Savu, L. (992) 379

Grossens, M.K., see Goudsmit, E.M. (992) 289
Guéant, J.L., Jokinen, O., Schohn, H., Monin, B., Nicolas, J.P. and Gräsbeck, R.
Purification of intrinsic factor receptor from pig ileum using as affinity medium human intrinsic factor covalently bound to Sepharose (992) 281

Halline, A.G., Dudeja, P.K. and Brasitus, T.A.
1,2-Dimethylhydrazine-induced alterations in N^1-acetylspermidine levels in rat distal colonic mucosa: effects of 2-difluoromethylornithine (992) 106
Halliwell, G. and Halliwell, N.
Cellulolytic enzyme components of the cellulase complex of *Clostridium thermocellum* (992) 223
Halliwell, N., see Halliwell, G. (992) 223
Hammen, H.-W., see Schadewaldt, P. (992) 115
Hansen, M. and Nexø, E.
Isoelectric focusing of apo- and holo-transcobalamin present in human blood. Identification of a protein complexing with transcobalamin (992) 209
Harab, R.C. and Mourão, P.A.S.
Increase of chondroitin 4-sulfate concentration in the endochondral ossification cartilage of normal dogs (992) 237
Harding, J.J., see Ibrahim, J. (992) 9
Hardingham, T.E., see Mow, V.C. (992) 201
Hashizume, T., see Sato, T. (992) 168
Hatchell, D.L., see Twining, S.S. (992) 181
Hattori, M.-a. and Wakabayashi, K.
Incompletely processed LH molecules synthesized by rat gonadotrophs treated with inhibitors of oligosaccharide processing (992) 272
Hawgood, S., see Pison, U. (992) 251
Hemker, H.C., Choay, J. and Beguin, S.
Free factor Xa is on the main pathway of thrombin generation in clotting plasma (992) 409
Herbst, R., see Egner, U. (992) 404
Hikichi, K., see Matsushima, N. (992) 155
Hirogome, T., see Iwasaki, M. (992) 1
Hocke, G., see Saïle, R. (992) 407
Hofer, F., Weissinger, E., Mischak, H., Messner, R., Meixner-Monori, B., Blaas, D., Visser, J. and Kubicek, C.P.
A monoclonal antibody against the alkaline extracellular β-glucosidase from *Trichoderma reesei*: reactivity with other *Trichoderma* β-glucosidases (992) 298
Hori, K., see Sugimoto, Y. (992) 400
Houdret, N., Ramphal, R., Scharfman, A., Perini, J.-M., Filliat, M., Lamblin, G. and Roussel, P.
Evidence for the in vivo degradation of human respiratory mucins during *Pseudomonas aeruginosa* infection (992) 96
Huang, T.-F., see Teng, C.-M. (992) 258
Hughes, C., see Mow, V.C. (992) 201
Hung, M.-L., see Teng, C.-M. (992) 258

Ibrahim, J. and Harding, J.J.
Pinpointing the sites of hydroxylysine glycosides in peptide α1-CB7 of bovine corneal collagen, and their possible role in determining fibril diameter and thus transparency (992) 9
Ichikawa, M., see Yoshimura, A. (992) 307
Ikeda, S.-i., see Yoshimura, A. (992) 307
Ingram, V.M., see Friedrich, T.D. (992) 41
Iwasaki, M., Saito, H., Yamamoto, M., Korach, K.S., Hirogome, T. and Sugano, H.
Purification of heat shock protein 90 from calf uterus and rat liver and characterization of the highly hydrophobic region (992) 1

Jokinen, O., see Guéant, J.L. (992) 281

Kalyanaraman, B., see Feix, J.B. (992) 230
Kellett, G.L. and Barker, E.D.
The stimulation of glucose absorption and metabolism in rat jejunum by bradykinin: dependence on the composition of commercial diets (992) 128
Ketchum, P.A., see Goudsmit, E.M. (992) 289
Khan, S., see Pandya, K.P. (992) 23
Kimura, H., see Ohsawa, M. (992) 195
Kisel, M.A., see Akhrem, A.A. (992) 191
Kiselev, P.A., see Akhrem, A.A. (992) 191
Knight, C.H., see Wilde, C.J. (992) 315
Koga, K., see Sugimoto, Y. (992) 400
Kongshaug, M., see Rimington, C. (992) 241
Korach, K.S., see Iwasaki, M. (992) 1
Krishnamurthy, R., see Pandya, K.P. (992) 23
Kubicek, C.P., see Hofer, F. (992) 298
Kusakabe, T., see Sugimoto, Y. (992) 400
Kuwazuru, Y., see Yoshimura, A. (992) 307

Lai, W.M., see Mow, V.C. (992) 201
Lamblin, G., see Houdret, N. (992) 96
Laskin, J.D., see Abidi, T.F. (992) 362
Lefebvre, V. and Vaes, G.
The enzymatic evaluation of procollagenase and collagenase inhibitors in crude biological media (992) 355
Lesage, S., see Robertson, D.E. (992) 320
Lincoln, B.C., Aw, T.Y. and Bonkovsky, H.L.
Heme catabolism in cultured hepatocytes: evidence that heme oxygenase is the predominant pathway and that a proportion of synthesized heme is converted rapidly to biliverdin (992) 49
Lord, A., see Patrignani, P. (992) 71
Luk, G.D., see Majumdar, A.P.N. (992) 35

Majumdar, A.P.N., Moshier, J.A., Arlow, F.L. and Luk, G.D.
Biochemical changes in the gastric mucosa after injury in young and aged rats (992) 35
Mak, P.R., see Van Urk, H. (992) 78
Mannherz, H.G., see Stochaj, U. (992) 385
Masini, A., see Botti, B. (992) 327
Matsunaga, A., Miller, B.C. and Cottam, G.L.
Dehydroisoandrosterone prevention of autoimmune disease in NZB/W F_1 mice: lack of an effect on associated immunological abnormalities (992) 265
Matsushima, N. and Hikichi, K.
Age changes in the crystallinity of bone mineral and in the disorder of its crystal (992) 155
Maya, M., see Savu, L. (992) 379
Meixner-Monori, B., see Hofer, F. (992) 298
Messner, R., see Hofer, F. (992) 298
Miller, B.C., see Matsunaga, A. (992) 265
Mischak, H., see Hofer, F. (992) 298
Moan, J., see Rimington, C. (992) 241
Mollenhauer, J., see Stochaj, U. (992) 385
Monin, B., see Guéant, J.L. (992) 281
Morton, H., see Patrignani, P. (992) 71
Moshier, J.A., see Majumdar, A.P.N. (992) 35
Mourão, P.A.S., see Harab, R.C. (992) 237
Mow, V.C., Zhu, W., Lai, W.M., Hardingham, T.E., Hughes, C. and Muir, H.
The influence of link protein stabilization on the viscometric properties of proteoglycan aggregate solutions (992) 201
Muir, H., see Mow, V.C. (992) 201
Müller-Fahrnow, A., see Egner, U. (992) 404
Murakami-Murofushi, K. and Ohta, J.
Expression of UDP-glucose: poriferasterol glucosyltransferase in the process of differentiation of a true slime mold, *Physarum polycephalum* (992) 412
Muscatello, U., see Botti, B. (992) 327

Nakao, K., see Sato, T. (992) 168
Nexø, E., see Hansen, M. (992) 209
Nicolas, J.P., see Guéant, J.L. (992) 281
Nishimura, J., see Urashima, T. (992) 375
Nunez, E.A., see Savu, L. (992) 379

Ohsawa, M. and Kimura, H.
Formation of vitamin D-binding protein-actin and binary and ternary plasma gelsolin-actin complexes in human serum (992) 195
Ohta, J., see Murakami-Murofushi, K. (992) 412
Ouyang, C., see Teng, C.-M. (992) 258

Pandya, K.P., Khan, S., Umashankar, , Krishnamurthy, R. and Ray, P.K.
Modulation of benzene toxicity by polyinosinic-polycytidilic acid, an interferon inducer (992) 23
Patrignani, P., Morton, H., Cirino, M., Lord, A., Charette, L., Gillard, J., Rokach, J. and Patrono, C.
Fractional conversion of thromboxane A_2 and B_2 to urinary 2,3-dinor-thromboxane B_2 and 11-dehydrothromboxane B_2 in the cynomolgus monkey (992) 71
Patrono, C., see Ciabattoni, G. (992) 66
Patrono, C., see Patrignani, P. (992) 71
Peisach, J., see Freedman, J.H. (992) 145
Perini, J.-M., see Houdret, N. (992) 96
Pierucci, A., see Ciabattoni, G. (992) 66
Pison, U., Tam, E.K., Caughey, G.H. and Hawgood, S.
Proteolytic inactivation of dog lung surfactant-associated proteins by neutrophil elastase (992) 251
Politi, P.M., Rajagopalan, S. and Sinha, B.K.
Free-radical formation by mitomycin C and its novel analogs in cardiac microsomes and the perfused rat heart (992) 341
Precious, W.Y. and Barrett, J.
The possible absence of cytochrome *P*-450 linked xenobiotic metabolism in helminths (992) 215
Pugliese, F., see Ciabattoni, G. (992) 66

Rabes, H.M., see Röttgen, V. (992) 349
Radeck, W., see Schadewaldt, P. (992) 115
Rajagopalan, S., see Politi, P.M. (992) 341
Ramphal, R., see Houdret, N. (992) 96
Ray, P.K., see Pandya, K.P. (992) 23
Rhein, L.D., see Abidi, T.F. (992) 362
Rimington, C., Rønnestad, A., Kongshaug, M. and Moan, J.
Convenient preparation of hematoporphyrin esters from higher alcohols; dihexyl, dioctyl, diamyl, dibutyl and dipropyl ester (992) 241
Roberts, M.F., see Robertson, D.E. (992) 320
Robertson, D.E., Lesage, S. and Roberts, M.F.
β-Aminoglutaric acid is a major soluble component of *Methanococcus thermolithotrophicus* (992) 320
Rokach, J., see Patrignani, P. (992) 71
Rønnestad, A., see Rimington, C. (992) 241
Röttgen, V. and Rabes, H.M.
Deoxyribonucleoside triphosphate pools in regenerating rat liver: effect of hydroxyurea and exogenous deoxypyrimidines (992) 349
Roussel, P., see Houdret, N. (992) 96

Saenger, W., see Egner, U. (992) 404
Saïle, R., Hocke, G., Tartar, A., Fruchart, J.-C. and Steinmetz, A.
Antipeptide antibodies discriminate between different SAA proteins in human plasma (992) 407
Saito, A., see Sugimoto, Y. (992) 400
Saito, H., see Iwasaki, M. (992) 1
Saito, T., see Urashima, T. (992) 375
Salahuddin, A., see Ali, N. (992) 30
Sato, T., Hashizume, T., Nakao, K., Akiba, S. and Fujii, T.
Platelet desensitization by arachidonic acid is associated with the suppression of endoperoxide/thromboxane A_2 binding to the membrane receptor (992) 168
Savu, L., Vranckx, R., Maya, M., Gripois, D., Blouquit, M.-F. and Nunez, E.A.
Thyroxine-binding globulin and thyroxine-binding prealbumin in hypothyroid and hyperthyroid developing rats (992) 379
Scala, D.D., see Abidi, T.F. (992) 362
Schadewaldt, P., Radeck, W., Hammen, H.-W. and Staib, W.
Transamination and oxidative decarboxylation of L-isoleucine, L-alloisoleucine and related 2-oxo acids in perfused rat hind limb muscle (992) 115
Scharfman, A., see Houdret, N. (992) 96
Scheffers, W.A., see Van Urk, H. (992) 78
Schipper, D., see Van Urk, H. (992) 78
Schnebli, H.P., see Dean, R.T. (992) 174
Schohn, H., see Guéant, J.L. (992) 281
Simonetti, B.M., see Ciabattoni, G. (992) 66
Sinha, B.K., see Politi, P.M. (992) 341
Staib, W., see Schadewaldt, P. (992) 115
Steinmetz, A., see Saïle, R. (992) 407
Stochaj, U., Dieckhoff, J., Mollenhauer, J., Cramer, M. and Mannherz, H.G.
Evidence for the direct interaction of chicken gizzard 5′-nucleotidase with laminin and fibronectin (992) 385
Sugano, H., see Iwasaki, M. (992) 1
Sugimoto, Y., Saito, A., Kusakabe, T., Hori, K. and Koga, K.
Flow of egg white ovalbumin into the yolk sac during embryogenesis (992) 400
Sumizawa, T., see Yoshimura, A. (992) 307
Swartz, H.M., see Chen, K. (992) 131

Tam, E.K., see Pison, U. (992) 251
Tartar, A., see Saïle, R. (992) 407
Teng, C.-M., Hung, M.-L., Huang, T.-F. and Ouyang, C.
Triwaglerin: a potent platelet aggregation inducer purified from *Trimeresurus wagleri* snake venom (992) 258
Tomasi, A., see Botti, B. (992) 327
Tosh, D., Alberti, K.G.M.M. and Agius, L.
Clofibrate induces carnitine acyltransferases in periportal and perivenous zones of rat liver and does not disturb the acinar zonation of gluconeogenesis (992) 245
Twining, S.S., Wilson, P.M. and Hatchell, D.L.
Characterization of corneal proteoglycans under vitamin A deficiency (992) 181

Umashankar, , see Pandya, K.P. (992) 23
Unzeta, M., see Dolors Balsa, M. (992) 140
Urashima, T., Saito, T., Nishimura, J. and Ariga, H.
New galactosyllactose containing α-glycosidic linkage isolated from ovine (*Booroola dorset*) colostrum (992) 375
Urban, J.P.G. and Bayliss, M.T.
Regulation of proteoglycan synthesis rate in cartilage in vitro: influence of extracellular ionic composition (992) 59
Usagawa, T., see Yoshimura, A. (992) 307

Vaes, G., see Lefebvre, V. (992) 355
Van Dijken, J.P., see Van Urk, H. (992) 78
Vannini, V., see Botti, B. (992) 327
Van Urk, H., Schipper, D., Breedveld, G.J., Mak, P.R., Scheffers, W.A. and Van Dijken, J.P.
Localization and kinetics of pyruvate-metabolizing enzymes in relation to aerobic alcoholic fermentation in *Saccharomyces cerevisiae* CBS 8066 and *Candida utilis* CBS 621 (992) 78
Visser, J., see Hofer, F. (992) 298
Vranckx, R., see Savu, L. (992) 379

Wakabayashi, K., see Hattori, M.-a. (992) 272
Weissinger, E., see Hofer, F. (992) 298
Wilde, C.J., Addey, C.V.P. and Knight, C.H.
Regulation of intracellular casein degradation by secreted milk proteins (992) 315
Wilson, P.M., see Twining, S.S. (992) 181

Xian-Xuan, C., Fas, N. and Bates, G.W.
The displacement of copper by iron at the specific binding sites of ovotransferrin (992) 160

Yamamoto, M., see Iwasaki, M. (992) 1
Yoshimura, A., Kuwazuru, Y., Sumizawa, T., Ikeda, S.-i., Ichikawa, M., Usagawa, T. and Akiyama, S.-i.
Biosynthesis, processing and half-life of P-glycoprotein in a human multidrug-resistant KB cell (992) 307

Zhao, F.-K., see Chuang, L.F. (992) 87
Zhu, W., see Mow, V.C. (992) 20